



SAW CHAIN AND ACCESSORIES





PRO-KUT CHAIN


- Manufactured to exacting standards of quality, strength and durability
- Chromed cutters for longer life and a sharper edge
- Engineered for precision, balance and low vibration
- UL listed chains meet all ANSI standards for low kickback chain

SIZES

- Chain is available in 25' reels, 100' reels and pre cut loops
- When ordering bulk chain in 25' or 100' sizes, please specify the pitch, gauge and chain type number
- For loops, please also include the drive link count
- All loops come bulk in bags
- All reels include presets and side straps


PITCH

A chain's pitch is determined by measuring the distance between the centers of any 3 consecutive rivets and dividing by two.




GAUGE

Gauge of a chain is the thickness of the drive link measured at the tang. It's essential that the drive link thickness correctly matches the width of the groove in the guide bar. Normal wear makes it difficult to accurately measure drive link thickness on used chain. Always order by the number stamped on the master side link of your old chain to assure correct gauge.



Kerf

Kerf is width of the cut in the wood made by the saw chain. Optimum kerf for a chain is dependent on the saw horsepower, chain speed, length of the guide bar and the size, hardness and type of timber being cut. Pro-Kut chain is available with the ideal kerf for every combination of equipment and timber.



CONVERSION CHART

Distance Between Centers of Rivets		Saw Chain Pitch
1/2"	12.70mm	1/4" pitch
5/8" (approx.)	15.87mm	.325" pitch
3/4"	19.05mm	3/8" pitch
13/16" (approx.)	20.62mm	.404" pitch



25' REELS

PART NO.	DESCRIPTION
71002	(343S) 3/8" LP - .043 25'
71001	(350S) 3/8" LP - .050 25'
71003	(450S) .325 - .050 25'
71004	(458S) .325 - .058 25'
71005	(463S) .325 - .063 25'
71006	(550S) 3/8" - .050 25'
71007	(558S) 3/8" - .058 25'
71008	(563S) 3/8" - .063 25'
71009	(663) .404" - .063" 25'

100' REELS

PART NO.	DESCRIPTION
71011	(343S) 3/8" LP - .043 100'
71010	(350S) 3/8" LP - .050 100'
71012	(450S) .325 - .050 100'
71013	(458S) .325 - .058 100'
71014	(463S) .325 - .063 100'
71015	(550S) 3/8" - .050 100'
71016	(558S) 3/8" - .058 100'
71017	(563S) 3/8" - .063 100'
71018	(663) .404" - .063" 100'

PRECUT LOOPS

Precut loops are available in any size. Minimum order of 100 loops per part number is required, loops come 25 in a case and 100 in a pack

When ordering loops, please indicate chain # and drive link count

EXAMPLE

550S x 72



Style



Drive link count

STYLE NO.	DESCRIPTION	STYLE NO.	DESCRIPTION
343S	3/8" LP - .043	550S	3/8" - .050
350S	3/8" LP - .050	558S	3/8" - .058
450S	.325 - .050	563S	3/8" - .063
458S	.325 - .058	663	.404 - .063
463S	.325 - .063		

JOINING KITS (10 per bag)

PART NO.	DESCRIPTION
71500	3/8" LP - .043"
71501	3/8" LP - .050"
71502	.325" - .050" / .058"
71503	.325" - .063"
71504	3/8" - .050" / .058"
71505	3/8" - .063"
71506	.404" - .063"

BOXES

PART NO.	DESCRIPTION
71514	Chain loop box
71513	25' inner reel
71512	25' outer box
71511	100' inner reel
71510	100' outer box
71515	Sprocket box

SAW CHAIN

3/8" LP (low profile) Pitch

- Cutter teeth top plates are longer and hard chromed for greater chain life.
- Engineered for precision, balance and low vibration
- Ramped depth gauges reduce vibration while cutting
- Safety style meets all ANSI Low Kick back standards
- Top plate filing angle 90°
- Recommended for saws up to 40 cc



Features

- Oregon® 91VG crosses over to 350S
- Carlton® NIC-BL crosses over to 350S
- Oregon® 90VG crosses over to 343S
- Carlton® N4C-BLC crosses over to 343S



ITEM NO.	PITCH	GAUGE	FILE	SHARPENING	DEPTH GAUGE
343S (safety)	3/8" LP	.043"	5/32"	35°	.025"
350S (safety)	3/8" LP	.050"	5/32"	35°	.025"

SAW CHAIN

.325 Pitch

- Advanced heat treatment and chrome processes allow for improved cutter performance
- Ramped depth gauges allows smooth high speed cutting while reducing kickback and vibration
- Pre-stretch to minimize guide bar adjustments
- Safety style meets all ANSI Low Kickback Standards
- Top plate filing angle 10°
- Recommended for saws in the 40 cc - 60 cc range



Features

- Oregon® 20, 21, 22BP crosses over to 450S, 458S & 463S
- Carlton® KIC-BL, K2C-BL, K3C-BL crosses over to 450S, 458S & 463S



ITEM NO.	PITCH	GAUGE	FILE	SHARPENING	DEPTH GAUGE
450S (safety)	.325"	.050"	3/16"	32.5°	.025"
458S (safety)	.325"	.058"	3/16"	32.5°	.025"
463S (safety)	.325"	.063"	3/16"	32.5°	.025"

SAW CHAIN

3/8" Pitch

- Semi chisel style cutters for fast cutting that will also stay sharp longer in dirty or gritty cutting conditions
- Advanced heat treatment and chrome processes allow for improved cutter performance
- Easy to file, very forgiving filing angles
- Top plate filing angle 10°
- Recommended for saws in the 50 cc - 90 cc angle



Features

- Oregon® 72, 73, 75 DP crosses over to 550S, 558S & 563S
- Carlton® A1EP-GL, A2EP-GL, A3EP-GL crosses over to 550S, 558S & 563S



ITEM NO.	PITCH	GAUGE	FILE	SHARPENING	DEPTH GAUGE
550S (safety)	3/8"	.050"	7/32"	32.5°	.025"
558S (safety)	3/8"	.058"	7/32"	32.5°	.025"
563S (safety)	3/8"	.063"	7/32"	32.5°	.025"

SAW CHAIN

.404 Pitch

- Advanced heat treatment and chrome processes allow for improved cutter performance
- Semi-chisel style cutters for fast cutting that will also stay sharp longer in dirty or gritty cutting conditions
- Easy to file, very forgiving filing angles
- Top plate filing angle 10°
- Recommended for saws over 65 cc



Features

- Oregon® 27 crosses over to 663
- Carlton® B3 crosses over to 663

ITEM NO.	PITCH	GAUGE	FILE	SHARPENING	DEPTH GAUGE
663	.404"	.063"	7/32"	30°	.035"

REPLACEMENT RIMS SPROCKET



- Replacement rim sprockets are a floating style rim that allows chain and sprocket to better align with bar groove
- High quality rims with the best value in the industry!
- Sold in sleeves of 10 & cases of 100

STANDARD 7 SPLINE 7/8" (SD)



72500

3/8" - 7 Tooth



72501

3/8" - 8 Tooth



72502

.404" - 7 Tooth

SMALL 7 SPLINE 3/4" (SM)



72504

.325" - 7 Tooth



72503

3/8" - 7 Tooth



72505

.325" - 8 Tooth

MINI 7 SPLINE 11/16" (MINI)



72506

.325" - 7 Tooth



72507

3/8" LP - 7 Tooth

- Replaces Stihl OEM size rims
- Fits Stihl 017, 019, 021, 023, 024, 023, 024, 025, 026, 028, 029, running original Stihl drums

SPUR SPROCKETS

- Pro-Kut spur sprockets are a high quality replacement sprocket with exception value!
- Spline is braze welded onto drum for superior strength
- Spur sprockets are available in boxes of 10 & cases of 50



PART NO.	MAKE & MODEL	DESCRIPTION
72012	Echo 3000, 3400, 3450, 3500	3/8 LP - 6 tooth (spur)
72009	Echo CS302, CS315, CS330, CS351, CS360	3/8 LP - 6 tooth (spur)
72011	Echo CS451, CS451VL, 550, CS500, CS452, Farma CS510, CS600, CS610, CS650, CS660	3/8 - 7 tooth (spur)
72010	Echo 3900, CS4100, 3600, 4510, CS440, CS3700, CS400, CS4300, CS4400, CS4500	3/8 - 7 tooth (spur)
72006	Husqvarna 154, 254, 262, 50, 51, 55, 257	.325 - 7 tooth (spur)
72004	Husqvarna 61, 66, 162, 222, 266, 268, 272, Rancher 61	3/8 - 7 tooth (spur)
72013	Husqvarna 181, 185, 281, 285, 288, 298, 1100, 2100, 2101, 394, 395, 395XP	3/8 - 7 tooth (spur)
72007	McCulloch 365, 200, 2010 365, 200, 2010, 2012, 2014, 2016, 2116, 2316, 2318, 3000, 3210, 3214, 3216, 3505, 3516, 3805, 3818, MAC 110-140, MINI MAC, PM480, POWER MAC 310-340, PRO MAC 3205 AV-14, TITAN 35-40	3/8 LP - 6 tooth (spur)
72002	Partner 22, 330, 350, 365, 405, 1612, 1613, 1614, 1616, MINIP3, P, P2, PA	3/8 LP - 6 tooth (spur)
72003	Poulan 20, 180, 205, 225, 235, 1800, 2000, 2100, 2300, 2400, MICRO25, 1950	3/8 LP - 6 tooth (spur)
72005	Stihl 015, 015AV, 105EL	3/8 LP - 6 tooth (spur)
72014	Stihl 024, 026 (after serial # X25809074) MS260, MS270, MS260 PRO (adjustable oiler)	3/8 - 7 tooth (spur)
72008	Stihl 030, 031, 032, 040, 041, FARN BOSS MS310	3/8 - 7 tooth (spur)
72015	Stihl 044, 046, MS440, MS460	3/8 - 7 tooth (spur)
72001	Stihl 064, 066	3/8 - 7 tooth (spur)

GUIDE BARS **Pro-Kut (Laminate)**

The Pro-Kut is a laminated sprocket tip bar ideal for the pro or serious woodcutter who has an eye for quality and value.

- Bar rails are thicker than other brand, extending bar life
- Rails are hardened for greater strength
- Features high quality nose bearings
- Reversible design
- Designed for saws over 2.3 cubic inches
- Available in box of 10 & cases of 50



Pro-Kut Mini-Kut (Mini-Laminate)

For the do-it-yourselfer or semi-pro. The Mini-Kut laminated sprocket tip bar is designed for superior quality and value.

- Hardened rails for improved endurance
- High quality bearings
- Reversible design
- Designed for saws under 2.3 cubic inches
- Available in box of 10 & cases of 50





CUTTING LENGTH	DRIVE LINK	CHAIN & BAR PITCH & GAUGE	CHAIN PART NUMBER	LAMINATED SPROCKETNOSE
----------------	------------	---------------------------	-------------------	------------------------

▶ ALPINA / CASTOR / PROCUT

3/8" LP Pitch x .050" (350S)		Models: E120, E130, E150, A-10E, A14E, 160, 170, KS1400B, KS1500B		
14"	52	3/8" LP x .050"	350S x 52	73015
16"	57	3/8" LP x .050"	350S x 57	73016

3/8" LP Pitch x .050" (350S)		Models: 330, 380, 432, 438, P34-S, EURO-35, EURO-40, EURO-45, PROCUT 32, 38		
14"	49	3/8" LP x .050"	350S x 49	73026

.325" Pitch x .050" (450S) .325" Pitch x .058" (458S)		Models: 540, 540i, 600, 600i, A40AV, A40E, C40E, CP41, CP45, CP-540, CP-55, CP-56, CP-600, CP-65, CP-66, P400, P450, P500, P550, PRO-41, PRO-45, PRO-540, PRO-55, PRO-56, PRO-600, PRO-65, PRO-66		
16"	66	.325" x .050"	450S x 66	73023
16"	66	.325" x .058"	458S x 66	73019
18"	72	.325" x .050"	450S x 72	73024
18"	72	.325" x .058"	458S x 72	73020

3/8" Pitch x .050" (550S)		Models: 070, 970S, A70, CP-65, CP-66, CP-70, CP-90, CP-120, PRO-65, PRO-66, PRO-70, PRO-90, PRO-120		
18"	64	3/8" x .050"	550S x 64	73025

▶ DOLMAR

3/8" LP Pitch x .050" (350S)		Models: E120, E130, E150, A-10E, A14E, 160, 170, KS1400B, KS1500B		
14"	52	3/8" LP x .050"	350S x 52	73015
16"	57	3/8" LP x .050"	350S x 57	73016
18"	62	3/8" LP x .050"	350S x 62	73017

.325" Pitch x .050" (450S) .325" Pitch x .058" (458S)				
16"	66	.325" x .050"	450S x 66	73023
16"	66	.325" x .058"	458S x 66	73019



**CUTTING
LENGTH**



**DRIVE
LINK**



**CHAIN & BAR
PITCH & GAUGE**



**CHAIN PART
NUMBER**



**LAMINATED
SPROCKETNOSE**

➔ **DOLMAR (CONTINUED)**

.325" Pitch x .050" (450S)
.325" Pitch x .058" (458S)

Models: 109, 110, 111, 112, 113, 114, 115, 116, 117, 119, 219

18"	72	.325" x .050"	450S x 72	73024
18"	72	.325" x .058"	458S x 72	73020

➔ **ECHO**

3/8" LP Pitch x .050" (350S)

Models: CS-280, CS-285, CS-290, CS-300, CS-301, CS-302, CS-304, CS-315, CS-320, CS-328, CS-330, CS-340, CS-345, CS-351, CS-360, ECS2000, ECS3000, CS-2800, CS-2900, CS-3000, CS-3400, CS-3450, CS-3500, E155

14"	52	3/8" LP x .050"	350S x 52	73015
16"	57	3/8" LP x .050"	350S x 57	73016
18"	62	3/8" LP x .050"	350S x 62	73017

.325" Pitch x .050" (450S)

Models: CS-400, CS-440, CS-3600, CS-3700, CS-3900, CS-4000, CS-4010, CS-4100, CS-4200, CS-4400, CS-4500, CS-4510, CS-4600, CS-4601, CS-5000

16"	66	.325" x .050"	450S x 66	73023
18"	72	.325" x .050"	450S x 72	73024

3/8" Pitch x .050" (550S)

Models: CS-451, CS-452, CS-500, CS-510, CS-550, CS-60S, CS-600, CS-601, CS-602, CS-610, CS-650, CS-660, CS-670, CS-5000, CS-5500, CS-5501, CS-6700, CS-6701, CS-701, CS-702, CS-750, CS-8000, CS-8001, CS-801, CS-802, CS-900, CS-1001

18"	64	3/8" x .050"	550S x 64	73025
-----	----	--------------	-----------	-------

➔ **HOMELITE**

3/8" LP Pitch x .050" (350S)

Models: 20AV, 23AV, 3300, 3350, 3800, 3850

14"	52	3/8" LP x .050"	350S x 52	73015
16"	57	3/8" LP x .050"	350S x 57	73016
18"	62	3/8" LP x .050"	350S x 62	73017



CUTTING LENGTH	DRIVE LINK	CHAIN & BAR PITCH & GAUGE	CHAIN PART NUMBER	LAMINATED SPROCKETNOSE
----------------	------------	---------------------------	-------------------	------------------------

HOMELITE (CONTINUED)

		Models: 25, 27, 240SL, 250, 252, 300, 35SL, 4100, 4150, 4500, 4550, CS-40, CS-50, Timberline		
.325" Pitch x .050" (450S)				
16"	66, 67	.325" x .050"	450S x 67	73023
18"	72	.325" x .050"	450S x 72	73024

		Models: 330, 350, 360, 400, 410, 450, 460, 540, 545, 550, 650, 700, 750, 800, 825, 850, 900, 922, 923, 925, 955, SUPER XL, SUPER XL - AUTO, XL12, XL-1, SXL®, 8800		
3/8" Pitch x .050" (550S)				
18"	64	3/8" x .050"	550S x 64	73025

HUSQVARNA

		Models: 23, 36, 41, 136, 141, E16, E316, 325P4X		
3/8" LP Pitch x .050" (350S)				
14"	52	3/8" LP x .050"	350S x 52	73015
16"	57	3/8" LP x .050"	350S x 57	73016
18"	62	3/8" LP x .050"	350S x 62	73017

		Models: 33, 36, 38, 40, 41, 42, 44, 45, 49, 50, 51, 55, 57, 133, 140, 141, 154, 234, 238, 240, 242, 246, 254, 257, 261, 262, 340, 345, 346, 350, 351, 360, 444		
.325" Pitch x .050" (450S)				
.325" Pitch x .058" (458S)				
15"	64	.325" x .058"	458S x 64	73018
16"	66	.325" x .050"	450S x 66	73023
16"	66	.325" x .058"	458S x 66	73019
18"	72	.325" x .050"	450S x 72	73024
18"	72	.325" x .058"	458S x 72	73020

		Models: L Series, 61, 62, 65, 66, 70, 77, 160, 162, 163, 180, 181, 185, 260, 263, 266, 268, 272, 280, 281, 285, 288, 298, 362, 365, 371, 372, 380, 394, 395, 480, 1100, 2100, 2101, 3120		
3/8" Pitch x .058" (558S)				
18"	68	3/8" x .058"	558S x 68	73021
20"	72	3/8" x .058"	558S x 72	73022



CUTTING LENGTH	DRIVE LINK	CHAIN & BAR PITCH & GAUGE	CHAIN PART NUMBER	LAMINATED SPROCKETNOSE
----------------	------------	---------------------------	-------------------	------------------------

▶ JOHN DEERE

3/8" LP Pitch x .050" (350S)

Models: 20, 23, 23AV, 25, 28, 30, 35EV, 45E6, 46EV, 450V, 200, 230, 3300, 3350, 3800, 3850, 4150, 4550, J3816, RANGER

14"	52	3/8" LP x .050"	350S x 52	73015
16"	57	3/8" LP x .050"	350S x 57	73016
18"	62	3/8" LP x .050"	350S x 62	73017

.325" Pitch x .050" (450S)

Models: 45EV, 46EV, 156, 162, 300CS, 450V

16"	66	.325" x .050"	450S x 66	73023
18"	72	.325" x .050"	450S x 72	73024

3/8" Pitch x .050" (550S)

Models: 50V, 51SV, 55SV, 60V, 65SV, 66SV, 70V, 80EV, 800V

18"	64	3/8" x .050"	550S x 64	73025
-----	----	--------------	-----------	-------

▶ JONSERED

3/8" LP Pitch x .050" (350S)

Models: 35, 36, 361, 365, 370, 380, 2036, 2040

14"	52	3/8" LP x .050"	350S x 52	73015
16"	57	3/8" LP x .050"	350S x 57	73016
18"	62	3/8" LP x .050"	350S x 62	73017

.325" Pitch x .050" (450S)

.325" Pitch x .058" (458S)

Models: 45, 49, 50, 51, 52, 370, 380, 410, 420, 425, 435, 450, 451, 452, 455, 490, 510, 520, 521, 525, 535, 590, 2012, 2014, 2015, 2016, 2033, 2035, 2036, 2040, 2041, 2045, 2050, 2051, 2054, 2055, 2145, 2149, 2150

15"	64	.325" x .058"	458S x 64	73018
16"	66	.325" x .050"	450S x 66	73023
16"	66	.325" x .058"	458S x 66	73019
18"	72	.325" x .050"	450S x 72	73024
18"	72	.325" x .058"	458S x 72	73020



CUTTING LENGTH



DRIVE LINK



CHAIN & BAR PITCH & GAUGE



CHAIN PART NUMBER



LAMINATED SPROCKETNOSE

➔ **JONSERED (CONTINUED)**

3/8" Pitch x .058" (558S)

Models: 625, 630, 670, 920, 930, 2063, 2065, 2071, 2077, 2083, 2091, 2094, 2095, 2163, 2165, 2171

18"	68	3/8" x .058"	558S x 68	73021
20"	72	3/8" x .058"	558S x 72	73022

➔ **MAKITA**

3/8" LP Pitch x .050" (350S)

Models: DCS34, DCS 330S, DCS 340, DCS 341, DCS 390, DCS 400, DCS 401, 5011B, 5012B, 5014B, 5016B, DES 330S, DES 390, DES 400

14"	52	3/8" LP x .050"	350S x 52	73015
16"	57	3/8" LP x .050"	350S x 57	73016
18"	62	3/8" LP x .050"	350S x 62	73017

.325" Pitch x .050" (450S)
.325" Pitch x .058" (458S)

Models: DCS 430, DCS 431, DCS 4300, DCS 5201, DCS 520, DES 68001, DC43, 520, 520i, 5200i, 540, DC52, DCS540

16"	66	.325" x .050"	450S x 66	73023
16"	66	.325" x .058"	458S x 66	73019
18"	72	.325" x .050"	450S x 72	73024
18"	72	.325" x .058"	458S x 72	73020

3/8" Pitch x .058" (558S)

Models: DCS6401, DCS7301, DCS9000, DCS9010

18"	68	3/8" x .058"	558S x 68	73021
20"	72	3/8" x .058"	558S x 72	73022

➔ **MCCULLOCH**

3/8" LP Pitch x .050" (350S)

Models: 12A/S, 14A/S, 10, 14, 18, 41, 46, 110, 115, 120, 130, 140, 155, 160S, 165, 175, 310, 320, 330, 340, 350S, 355, 365, 375, 380S, 394, 400, 430, 440, 445, 494, 510, 515, 930, 935, 3210, 3214, 3216, 3500, 3516, 3518, EB 2.3, EB6a, EM12, EM16, MAC CAT, MINI MACS, POWERMAC 6, PM 3200, PM 3205, PM 3800, PM3850. SILVER EAGLES: 2010, 2012, 2014, 2016, 2116, 2316, 2318, SP-40, TITAN 35, TITAN 40, WILD-CAT, TITAN 7, EAGER BEAVER, E8M, MAC 100, 10E, 12E, 14E, 16E, PM 380, PM400, MS1432, MS1635, MS1635AV, MS1838AV

14"	49	3/8" LP x .050"	350S x 49	73026
-----	----	-----------------	-----------	-------



CUTTING LENGTH	DRIVE LINK	CHAIN & BAR PITCH & GAUGE	CHAIN PART NUMBER	LAMINATED SPROCKETNOSE
----------------	------------	---------------------------	-------------------	------------------------

➔ MCCULLOCH (CONTINUED)

.325" Pitch x .050" (450S)		Models: 4600, 4700, 4900, 5000, PRO MAC 40, 46		
16"	66	.325" x .050"	450S x 66	73023
18"	72	.325" x .050"	450S x 72	73024

➔ OLEO-MAC / OLYMPYK / EFCO

3/8" LP Pitch x .050" (350S)		Models: 233, 234, 235, 240, 241, 244, 335, 340, 930, 935, OLE140F, OLE300, E130, E160, E170, E200		
16"	55	3/8" LP x .050"	350S x 55	73002
18"	61	3/8" LP x .050"	350S x 61	73003

.325" Pitch x .050" (450S)		Models: 941, 942, 945, 945AF, 950A, 951		
.325" Pitch x .058" (458S)				
16"	66	.325" x .050"	450S x 66	73023
16"	66	.325" x .058"	458S x 66	73019
18"	72	.325" x .050"	450S x 72	73024
18"	72	.325" x .058"	458S x 72	73020

3/8" Pitch x .058" (558S)		Models: 250, 250A, 251, 252, 254, 260, 261, 264, 271, 272, 280, 284, 300, 355, 364, 460AS, 480, 481, 482, 484, 486, 492, 954		
18"	68	3/8" x .058"	558S x 68	73021
20"	72	3/8" x .058"	558S x 72	73022
24"	84	3/8" x .058"	558S x 84	

➔ PARTNER / PIONEER

.325" Pitch x .050" (450S)		Models: 1072, 1073, 1074, P-11, P-25, P-21, P-26, P-28, P-285, P-360, P-400, P450, P-500, P-5000		
.325" Pitch x .058" (458S)				
15"	64	.325" x .058"	458S x 64	73018
16"	66	.325" x .050"	450S x 66	73023
16"	66	.325" x .058"	458S x 66	73019
18"	72	.325" x .050"	450S x 72	73024
18"	72	.325" x .058"	458S x 72	73020



CUTTING LENGTH	DRIVE LINK	CHAIN & BAR PITCH & GAUGE	CHAIN PART NUMBER	LAMINATED SPROCKETNOSE
----------------	------------	---------------------------	-------------------	------------------------

▶ PARTNER / PIONEER (CONTINUED)

3/8" Pitch x .050" (550S)
3/8" Pitch x .058" (558S)

Models: 650, 7000, P-65, P-70, P-85, P-100, R-420, R-421, R-435, R-440

18"	68	3/8" x .058"	558S x 68	73021
20"	72	3/8" x .050"	550S x 72	
20"	72	3/8" x .058"	558S x 72	73022

▶ POULAN / POULAN PRO

3/8" LP Pitch x .050" (350S)

Models: 20, 25 series, 180, 190, 200, 205, PP210, 225, 235, 250, 255, 260, PP260, 285, 295, PP295, PP300E, 305, 306, 310, PP310, 325, 335, PP335, 336, PP380, 523, 1220, 1425, 1625, 1800, 2000, 2050, 2100, 2150, 2175, 2250, 2300, 2350, 2375, 2400, 2450, 2500, 2550, 2600, 2700, 2750, 2800, 2900, 3000, 3050, 3100, 3300, 3600, PRO S25, E236, P600, 250E, S23 ARBOR, WILDTHING

14"	52	3/8" LP x .050"	350S x 52	73015
16"	57	3/8" LP x .050"	350S x 57	73016
18"	62	3/8" LP x .050"	350S x 62	73017

.325" Pitch x .050" (450S)

Models: POULAN 2700, 2750, 2800, 2900, 3000, 3050, 3300; POULAN PRO 255, 285, 295, 305, 310, 315, 335, 336

16"	66	.325" x .050"	450S x 66	73023
18"	72	.325" x .050"	450S x 72	73024

.325" Pitch x .050" (450S)

Models: 325

.325" Pitch x .058" (458S)

15"	64	.325" x .058"	458S x 64	73018
16"	66	.325" x .050"	450S x 66	73023
16"	66	.325" x .058"	458S x 66	73019
18"	72	.325" x .058"	458S x 72	73020

3/8" Pitch x .050" (550S)

Models: 203, 245, 306, 360, 361, 365, 375, 380, 395, 400, 450, 670, 3400, 3450, 3500, 3600, 3650, 3700, 3750, 3800, 3900, 4000, 4200, 4400, 4900, 5200, 5400, 5500, 6700, PRO 365, PRO 380

18"	64	3/8" x .050"	550S x 64	73025
-----	----	--------------	-----------	-------



**CUTTING
LENGTH**



**DRIVE
LINK**



**CHAIN & BAR
PITCH & GAUGE**



**CHAIN PART
NUMBER**



**LAMINATED
SPROCKETNOSE**

▶ **POULAN / POULAN PRO (CONTINUED)**

3/8" Pitch x .058" (558S)		Models: POULAN PRO 415, 425, 445, 475, 505, PP655		
18"	68	3/8" x .058"	558S x 68	73021
20"	72	3/8" x .058"	558S x 72	73022

3/8" Pitch x .050" (550S)		Models: POULAN 6900, 7700, 8500		
18"	64	3/8" x .050"	550S x 64	

▶ **POWER PRUNER**

3/8" LP Pitch x .043" (343S)		Models: PP600, PP800, PP1200, PP1250, PP1400, PPF2100, PPF-2110, PPT-2100, PPT-2400, PPF2-2400		
14"	50	.3/8" LP x .043"	343S x 50	73001

▶ **PROCUT - SEE ALPINA / CASTOR**

▶ **REMINGTON**

3/8" LP Pitch x .050" (350S)		Models: 100, 500, 812, 814, 816, 840AV, 850AV, 860AV, JOB MASTER, MIGHTY MITE, OUTDOORSMAN II, EL1, EL6, EL7, LNT2, EL1FS, LNT-2FS		
14"	49	3/8" LP x .050"	350S x 49	73026

3/8" Pitch x .050" (550S)		Models: PL-55, 56-11		
18"	64	3/8" x .050"	550S x 64	73025

▶ **SEARS**

3/8" LP Pitch x .050" (350S)		Models: 3401, THRU 3476, 35023 THRU 35096, 35202, THRU 35255, 35363, 35504, 35505, 35506, 35515, 35516, 35713, 35714, 35717, 35718, 35736, 35824, 35841, 35886, 351040, 351140, 352680		
14"	52	3/8" LP x .050"	350S x 52	73015
16"	57	3/8" LP x .050"	350S x 57	73016
18"	62	3/8" LP x .050"	350S x 62	73017



CUTTING LENGTH	DRIVE LINK	CHAIN & BAR PITCH & GAUGE	CHAIN PART NUMBER	LAMINATED SPROCKETNOSE
----------------	------------	---------------------------	-------------------	------------------------

SEARS (CONTINUED)

.325" Pitch x .050" (450S)		Models: 35020, 35119, 35607, 35628, 35633		
16"	66	.325" x .050"	450S x 66	73023
18"	72	.325" x .050"	450S x 72	73024

3/8" Pitch x .050" (550S)		Models: 35145, 35212, 35483, 35608, 35609, 35721, 35727, 35728, 35826, 35829, 35851, 35881, 35884, 35885, 35887, ELECTRICS		
18"	64	3/8" x .050"	550S x 64	73025

SHINDAIWA

3/8" LP Pitch x .050" (350S)		Models: 100, 110, 140, 150 ELECTRIC, 160, 104P, 180, 300, 300S, 345, 350, 357, 360, E305AV		
14"	52	3/8" LP x .050"	350S x 52	73015
16"	57	3/8" LP x .050"	350S x 57	73016
18"	62	3/8" LP x .050"	350S x 62	73017

3/8" Pitch x .058" (558S)		Models: 550, 575, 577, 680, 695, 757, 757O, 757C, 801, 901, 1091		
18"	68	3/8" x .058"	558S x 68	73021
20"	72	3/8" x .058"	558S x 72	73022

SOLO

.325" Pitch x .050" (450S)		Models: 634, 636, 639, 641, 644, 645, 647, 651, 651SP, 654		
16"	66	.325" x .050"	450S x 66	73023
18"	72	.325" x .050"	450S x 72	73024

3/8" Pitch x .058" (558S)		Models: 603, 662, 667, 670, 680, 690		
18"	68	3/8" x .058"	558S x 68	73021
20"	72	3/8" x .058"	558S x 72	73022



**CUTTING
LENGTH**



**DRIVE
LINK**



**CHAIN & BAR
PITCH & GAUGE**



**CHAIN PART
NUMBER**



**LAMINATED
SPROCKETNOSE**



3/8" LP Pitch x .043" (343S)

Models: 017, 018, 019T, E140, HT70, HT73, HT75, MS170, MS180C, MS191T

14"	50	.3/8" LP x .043"	343S x 50	73001
-----	----	------------------	-----------	-------

3/8" LP Pitch x .050" (350S)

Models: 009, 009L, 010, 011, 012, 015, 017, 018, 019, 020, 021, 023, 025, E10, E14, 020T, MSE140, MSE180, MS170, MS180, MS1+1T, MS200T

16"	55	3/8" LP x .050"	350S x 55	73002
18"	61	3/8" LP x .050"	350S x 61	73003

.325" Pitch x .050" (450S)
.325" Pitch x .063" (463S)

Models: 021, 023, 023C, 025, 250, 250C

16"	62	.325" x .050"	450S x 62	73006
16"	62	.325" x .063"	463S x 62	73007
18"	68	.325" x .050"	450S x 68	73004
18"	68	.325" x .063"	463S x 68	73005

.325" Pitch x .050" (450S)
.325" Pitch x .063" (463S)

Models: 024, 026, 028, 028 SUPER, 029, 030, 031, 032, 034, 036, 026 ARTIC, MS260, MS260 PRO, MS270, MS290, MS360, FARM BOSS

16"	67	.325" x .050"	450S x 67	73008
16"	67	.325" x .063"	463S x 67	73009
18"	74	.325" x .050"	450S x 74	73010
18"	74	.325" x .063"	463S x 74	73011

3/8" Pitch x .050" (550S)

Models: 036, 038, 038 SUPER/MAGNUM, 039, 041, 042, 044, 045, 046, 048, 056, 064, 066, 066 MAGNUM, E15, E20, E180C, 029, 030, 031, 032, 034, 036 ARTIC, 040, 041AV, 044 ARTIC, MS310, MS360 PRO, MS360QS, MS390, MS260 PRO, MS440, MS460

16"	60	3/8" x .050"	550S x 60	73012
18"	66	3/8" x .050"	550S x 66	73013
20"	72	3/8" x .050"	550S x 72	73014



**CUTTING
LENGTH**



**DRIVE
LINK**



**CHAIN & BAR
PITCH & GAUGE**



**CHAIN PART
NUMBER**



**LAMINATED
SPROCKETNOSE**

TANAKA

3/8" LP Pitch x .050" (350S)

Models: ECS-35, 35B, 36, 290, 300, 303, 320, 330, 350, 351, 355, 356, 370, 375, 405, 415, 3500, 4000

14"	52	3/8" LP x .050"	350S x 52	73015
16"	57	3/8" LP x .050"	350S x 57	73016
18"	62	3/8" LP x .050"	350S x 62	73017

.325" Pitch x .050" (450S)

Models: ECS-415, 4000

16"	66	.325" x .050"	450S x 66	73023
18"	72	.325" x .050"	450S x 72	73024

